BOONE COUNTY FIRE DISTRICT	2000 PIERCE/FREIGHTLINER	E1201		
WEEKLY INSPECTION CHECKLIST	2-DOOR ENGINE	E1301		
Date:	Mileage:	Engine Hours:		
		10.0		
Inspectors Name:		ID #:		
Inspect each of the area and items indicated. V	/erify proper operation, level or item presence and			
an item is missing or not operational, shade the	e entire box, then make every effort to repair or re			
submitting a maintenance request form.				
F1201 Inchestio	n Charleigt Engine Exterior Cab a	nd Dumn Danal		
E1301 Inspection Checklist - Engine, Exterior, Cab and Pump Panel				
ENGINE COMPARTMENT	☐ Multi-Rae Monitor	Emergency Lights		
□ <b>Engine Oil -</b> Check Level	□ Battery Backup Pack	□ Light Bar		
<ul><li>Radiator - Check Water Level</li></ul>	☐ AA Batteries (4)	<ul><li>Bumper Flashers</li></ul>		
<ul><li>Belts - Check For Excessive Wear</li></ul>	□ Water Trap (3)	<ul><li>Rear Rotating Beacons</li></ul>		
<ul><li>Power Steering Fluid (Dexron II) -</li></ul>	☐ Teflon Hose (15' Feet)	□ Siren		
Check Fluid Level	$\square$ Screwdriver	$\square$ Mechanical		
Hoses - Check For Damage, Leaks Or	☐ CO Evaluation Reports (3)	□ Electronic		
Aging	□ Power Up	□ <b>S</b> potlight		
	<ul><li>Fresh Air Calibration</li></ul>			
EXTERIOR	□ Verify Full Level Charge	PULL ONTO DRIVEWAY		
☐ <b>Batteries</b> -Check For Excessive	How Mot DOT Cuidobook			
Corrosion	☐ FEMA After the Fire Document with	ENGAGE PUMP/CHOCK		
□ 1-200'-1 3/4" Attack Line (1) -Set On	BCFPD Insert	VHEELS		
Straight Stream/120 Gpm	☐ Visor Organizor			
2-200'-1 3/4" Attack Line (1) -Set On	☐ Gas card	CAB		
Straight Stream/120 Gpm	☐ Incurance Card	□ Pump Shift		
□ <b>3-200'-1 3/4" Attack Line (1)</b> -Set On	☐ Knox Box Secure Key	1 ump smit		
Straight Stream/120 Gpm	☐ Incident Command Vest	DANKE BANKI		
□ 3" Tanker Nurse Line 50 Ft	Interior Cab Light	PUMP PANEL		
<b>Drivers Side</b> Check Hose Gasket	☐ Dash Instrument Lights	Pump Panel Lights - check		
□ Spanner Wrench Set - Rear	☐ Dash Instruments	Pump Panel Gauges – check		
Tailboard	☐ <b>Fuel Level</b> - diesel fuel at least 3/4 full	□ Water Level		
□ TFT Blitz Monitor and Nozzle (1)	□ Windshield Wipers	□ Foam Level		
24' Ext. Ladder - Properly Secured	☐ Windshield Washers	Operate Primer		
□ <b>14' Roof Ladder -</b> Properly Secured	☐ Heater/Defroster	- Cycle Primer 3 Times		
□ 10 Foot Attic Ladder	□ Air Horn	Operate Pump - Check Operation		
□ 4" Supply Line W/6" To 4" Storz And	□ Electric Horn	Operate Relief Valve		
4.5" NST To 4" Storz Passenger Side	- Auto Chains (Engage)	☐ Cycle Valve On And Off 10		
☐ Storz Adaptor Passenger Side	□ Disc Contacts Tire	Times		
Discharge	☐ Chains Retract Completely	Valves and Drains - Operate All		
<ul><li>Primer Oil - Check Fluid Level</li></ul>	and the trace domptetery	Valves 10 Times		
□ <b>Tires</b> - Check For Proper Inflation (85	START ENGINE	<b>■ Water Tank Level Full</b>		
Psi/Front - 100 Psi/Rear)	START ENGINE	■ Foam Tank Level Full (Class A)		
□ AFFF Foam 5-Gallon Bucket (4)	LICHTS MADNING FOUNDMENT	TRANSMISSION FLAND		
a.n		TRANSMISSION FLUID		
CAB	Headlights - check high and low beams	Transmission Fluid		
<ul><li>Seat Belts - operational</li></ul>		- Check while engine is running at		
□ <b>Radio-mobile c</b> onduct in-house test	_	operating temperature - If low turn in maintenance request		
on Orange and Gold	Backup Lights	- It low turn in maintenance request		
□ <b>Portable Radio (2)</b> conduct in-house	□ Backup Alarm □ Turn Signals	COMMENTS:		
test on Orange and Gold	_ 1 411 11 0 18 114110	OOMMILIA I D.		
Report Book - 10 each	☐ Emergency Flashers			
□ Map Book	□ Clearance Lights			
☐ Radiation Kit				
	-			

BCFPD E1501 Revised: June 25, 2020

BOONE COUNTY FIRE DISTRICT WEEKLY INSPECTION CHECKLIST	2000 PIERCE/FREIGHTLINER 2-DOOR ENGINE	E1301
Date:	Mileage:	Engine Hours:
Inspectors Name:		ID #:
an item is missing or not operational, shade the submitting a maintenance request form.	Verify proper operation, level or item presence a e entire box, then make every effort to repair or a Checklist – Driver Side Compartm	replaced the item (if appropriate) prior to
DRIVERS SIDE MIDSHIP  Road Flares (6)  Ems Pack (See Separate Checklist)  Oxygen Caddy (1) - See Ems Checklist  Trauma Pack (1) - See Ems Checklist  Triage Pack (1) - See Ems Checklist  Decon Kit- See tag for inventory  Soft Stretcher (1)  Ked (1)  Backboard (1)  Aed (1) - See Ems Checklist  Spinal Immobilization Kit - See Ems Checklist  Push Broom (1)  Ac Voltage Hot Stick (1)  Command Board (1)  Utility Rope Bag - 150 Feet (1)  Utility Equipment Bag  Locking D Red Carabineers (1)  25' 0f 1" Black Webbing (1)  Prussik Cord (1)  Water/Ice Rescue Bag/Kit  Suit (1)  Throw Bag - 75 Feet (1)  Pfds (2)  Water Rescue Rope 200' With 2 Blue Carabineers Attached.  ENGINEERS COMPARTMENT  Flashlight (1)  Storz Spanner Set (2)  Hydrant Wrench (1)  4" Storz - 2 1/2" NST Adapter (1)  4" Storz - 6" NST Female (1)  Double Male (2)  Double Female (2)  2 1/2' Male - 1 1/2" Female (1)  1 1/2" - 1" Reducer (1)  Foam Eductor  Rubber Mallet (1)	<ul> <li>□ Knox Fdc Wrench (1)</li> <li>□ Dry Chemical Extinguisher - 20 Lb. (1)</li> <li>□ Pressurized Water Extinguisher (1)</li> <li>□ Low Level Strainer (2)</li> <li>□ Hose Clamp, Large (1)</li> <li>□ Wheel Chocks (2)</li> <li>□ Garden Hose 10' &amp; Nozzle</li> <li>□ Mini Y, Ght To 1.5" Nst</li> <li>□ Bullard T3 Max Tic (Operate)</li> <li>- Spare Battery (1)</li> <li>(Switch With Tic)</li> <li>DRIVERS SIDE MIDDLE COMP.</li> <li>□ Scott Air-Pak 50 Scba (4)</li> <li>- Check Pak-Alert Se Alarm Function</li> <li>- Check Air Pressure 4000 Psi Minimum</li> <li>- Check Straps And Adjust As Needed</li> <li>- Check Regulator Flow</li> <li>- Check Purge Valve</li> <li>- Check Donning Button &amp; H.U.D.</li> <li>□ Halligan (1)</li> <li>□ Flathead Axe (1)</li> <li>□ Flashlight (1)</li> <li>DRIVERS SIDE REAR</li> <li>□ Closet Hook (1)</li> <li>□ Pick Head Axe (1)</li> <li>□ Pinch Bar 48" (1)</li> <li>□ Ppv Fan</li> <li>- Check Fuel Level  (Reg Unleaded Gas)</li> <li>- Check Oil Level (15w40)</li> <li>○ Operate Fan</li> <li>□ 500 Watt Flood Light (2)</li> </ul>	TOP OPEN COMP   Push Broom (1)   Scoop Shovel (2)   Pointed Shovel (1)   Rakes (2)   Foam/Afff- 5 Gallon Container (2)   Deck Gun & Portable Mount   Stacked Tips,1-3/4, 1-1/2, 1-3/8  HOSE BED   200 Feet - 2-1/2 Inch   1000 Feet - 4 Inch Hose   W/Siamese Attached (Flat Load)   Hydrant Bag   -2.5"To 4"Storz   (Attached To Gate Valve)   Hydrant Gate Valve   Hydrant & Spanner   Wrench (2)   500 Feet - 2.5" Hose W/Hose Pack   (Accordion Load)   Hose Pack   Gated Wye   100 1 3/4" Hose (Red)   Spanner, 2.5" (1)  COMMENTS:

BCFPD E1501 Revised: June 25, 2020

BOONE COUNTY FIRE DISTRICT	2000 PIERCE/FREIGHTLINER	F4 2 0 4
WEEKLY INSPECTION CHECKLIST	2-DOOR ENGINE	E1301
Date:	Mileage:	Engine Hours:
Inspectors Name:		ID #:
Inspect each of the area and items indicated. Ve an item is missing or not operational, shade the submitting a maintenance request form.		
E1301 Inspection	Checklist – Passenger Side and Re	ear Compartments
REAR COMPARTMENT	PASSENGER SIDE LONG REAR COMP.	□ Wide Area Search Kit
□ Electric Cord Reel	Sawzall, Electric	Top Compartment
W/Plug Box	<ul><li>Check Cord For Worn Or</li></ul>	☐ AA Batteries (12)
☐ Electrical Adaptors (2)	Broken Insulation	☐ Sunscreen/Bug Spray Wipes (6)
□ Rescue Saw	☐ Minimum Of 4 Wood	
□ Operate	Blades	7 7
□ Check Fuel Level	☐ Minimum Of 4 Wood	☐ Sharpies (2)
(40:1 Fuel Mix)	Blades	□ Notebook
	<b>Vehicle Locksmith Pack</b>	□ Pens (2)
(6) ( 6.1)	☐ Toolbox (See Separate Checklist)	Main Compartment
	Bolt Cutters	☐ GPS Unit (1) Serial
		No.:
n 1		☐ GPS Reference Guide
0:1	Engine Oil (2)	☐ Clipboard
	Scene Tape (1)	☐ Lost Person Questionnaire (10)
•	Lockout/Tag Out Kit – See Separate	
- Check Fuel Level	Checklist	Pen (2)
	Disposable Blankets (2)	☐ Black Permanent Marker (2)
- Check Oil Level	2-1/2" Smooth Bore Nozzle (2)	□ Compass
□ 3 Gallon Gas Can		□ Flagging Tape
(Regular Unleaded Gas)	PASSENGER SIDE FRONT COMP.	<ul><li>Rain Poncho (6)</li></ul>
	Plastic Tarps (2)	☐ Emergency Blanket (6)
REAR DRIVERS SIDE COMP.	Canvas Tarp (1)	☐ Red Cyalume Light Stick (3)
□ 6" Hard Suction (1)	□ Pump Pack W/Nozzle-Hose (1)	☐ Yellow Cyalume Light Stick (3)
□ 6' New York Hook (1)	Spare Bottles (4) - Min. 4000 Psi	□ 25' Paracord
	Sprinkler Wedges (4)	☐ Brief Relief Kit (2)
REAR PASSENGER SIDE COMP.		☐ Trash Bag (2)
□ 10 Foot Long Pike Pole (1)	PASSENGER SIDE FRONT COMP.	☐ Ziploc Bags – Gallon (2)
= ("YY 10 ·! (4)	<b>☐</b> Hazmat Kit	☐ Ziploc Bags – Quart (2)
Ţ.,	Andax Kit 50	1 6 6 6
DACCENCED CIDE DEAD COMD	12" X 12" Absorbent Pads (12)	PRIMER OIL RESERVOIR ACCESS
II D T l	□ Putty Tube	☐ Primer Oil - check level (15W40)
Charle Eval Laval	☐ Traffic Cones (5)	- Time on eneck level (15W 10)
Charle Oil Larral	☐ Oil Away - 5 Gallon Container (1)	COMMENTS:
- Operate Unit	J on Away 5 danon container (1)	GOPH-ILIT 151
(Check For Leaks)		
□ Cribbing Boxes (2)		
□ Step Cribbing (2)		
☐ Extrication Bag/Kit		
☐ Glass Master (1)		
= VII		
7 5		
☐ Fire Blanket (1)		
□ 4" Hose Sleeves (4)		
□ Vise Grips (1)		
□ Duct Tape		
☐ Screw Driver Flat & Phillips		
☐ Cable Cutters (1)		

BCFPD E1501 Revised: June 25, 2020