

BOONE COUNTY FIRE DISTRICT WEEKLY INSPECTION CHECKLIST	2000 PIERCE/FREIGHTLINER 2-DOOR ENGINE	E901
Date:	Mileage:	Engine Hours:
Inspectors Name:		ID #:
Inspect each of the area and items indicated. Verify proper operation, level or item presence and place a check mark in the appropriate box. If an item is missing or not operational, shade the entire box, then make every effort to repair or replaced the item (if appropriate) prior to submitting a maintenance request form.		

E1301 Inspection Checklist – Engine, Exterior, Cab and Pump Panel

ENGINE COMPARTMENT

- ☐ **Engine Oil** - Check/Don't Fill
- ☐ **Power Steering Fluid** - Check/Don't Fill
- ☐ **Coolant Reservoir** - Check/Don't Fill
- ☐ **Belts** - Check For Frays/Wear/Cracks
- ☐ **Hoses** - Check For Frays/Wear/Leaks

EXTERIOR

- ☐ **Batteries** -Check For Excessive Corrosion
- ☐ **1-200'-1 3/4" Attack Line (1)** -Set On Straight Stream/120 GPM
- ☐ **2-200'-1 3/4" Attack Line (1)** -Set On Straight Stream/120 GPM
- ☐ **3-200'-1 3/4" Attack Line (1)** -Set On Straight Stream/120 GPM
- ☐ **3" Tanker Nurse Line 50 Ft. – Drivers Side** Check Hose Gasket
- ☐ **Spanner Wrench Set - Rear Tailboard**
- ☐ **TFT Blitz Monitor and Nozzle (1)**
- ☐ **24' Ext. Ladder** - Properly Secured
- ☐ **14' Roof Ladder** - Properly Secured
- ☐ **10 Foot Attic Ladder**
- ☐ **4" Supply Line W/6" To 4" Storz and 4.5" NST to 4" Storz Passenger Side**
- ☐ **Storz Adaptor Passenger Side Discharge**
- ☐ **Primer Oil** - Check Fluid Level
- ☐ **Tires** - Check For Proper Inflation (85 PSI/Front - 100 PSI/Rear)
- ☐ **AFFF Foam 5-Gallon Bucket (4)**

CAB

- ☐ **Seat Belts** – Operational
- ☐ **Mobile Radio** - Conduct In-House Test On Gold
- ☐ **Portable Radio (2)** Conduct In-House Test On Gold
- ☐ **Report Book**
 - ☐ Incident Report Forms (10)
 - ☐ "After The Fire" Booklet (5)
 - ☐ DNR Open Burning Regulations (5)
 - ☐ Pens (2)
- ☐ **Map Book**

- ☐ **Multi-Rae Monitor**
 - ☐ Battery Backup Pack
 - ☐ Aa Batteries (4)
 - ☐ Water Trap (3)
 - ☐ Teflon Hose (15' Feet)
 - ☐ Screwdriver
 - ☐ CO Evaluation Reports (3)
 - ☐ Power Up
 - ☐ Fresh Air Calibration
 - ☐ Verify Full Level Charge
- ☐ **Haz Mat Dot Guidebook**
- ☐ **Visor Organizer**
 - ☐ Gas Card
 - ☐ Insurance Card
- ☐ **Knox Box Secure Key**
- ☐ **Incident Command Vest**
- ☐ **Interior Cab Light**
- ☐ **Dash Instrument Lights**
- ☐ **Dash Instruments**
- ☐ **Fuel Level** - Diesel Fuel - 3/4 Full
- ☐ **Windshield Wipers**
- ☐ **Windshield Washers**
- ☐ **Heater/Defroster**
- ☐ **Air Horn**
- ☐ **Electric Horn**
- ☐ **Auto Chains (Engage)**
 - ☐ Disc Contacts Tire
 - ☐ Chains Retract Completely

START ENGINE

LIGHTS/WARNING EQUIPMENT

- ☐ **Headlights** - Check High/Low Beams
- ☐ **Taillights**
- ☐ **Backup Lights**
- ☐ **Backup Alarm**
- ☐ **Turn Signals**
- ☐ **Emergency Flashers**
- ☐ **Clearance Lights**

- ☐ **Emergency Lights**
 - ☐ Light Bar
 - ☐ Bumper Flashers
 - ☐ Rear Rotating Beacons
 - ☐ Siren
 - ☐ Mechanical
 - ☐ Electronic
 - ☐ Spotlight

PULL ONTO DRIVEWAY
ENGAGE PUMP/CHOCK
WHEELS

CAB

- ☐ **Pump Shift**

PUMP PANEL

- ☐ **Pump Panel Lights** - Check
- ☐ **Pump Panel Gauges** – Check
- ☐ **Water Tank Level Gauge** - Full
- ☐ **Class A Foam Tank Level** - Full
- ☐ **Operate Primer**
 - ☐ Cycle Primer 3 Times
- ☐ **Operate Pump** - Check Operation
- ☐ **Operate Relief Valve**
 - ☐ Cycle Valve On and Off 10 Times
- ☐ **Valves and Drains** - Operate All Valves 10 Times
- ☐ **Water Tank Level Full**
- ☐ **Foam Tank Level Full (Class A)**

COMMENTS:

BOONE COUNTY FIRE DISTRICT WEEKLY INSPECTION CHECKLIST	2000 PIERCE/FREIGHTLINER 2-DOOR ENGINE	E901
Date:	Mileage:	Engine Hours:
Inspectors Name:		ID #:
Inspect each of the area and items indicated. Verify proper operation, level or item presence and place a check mark in the appropriate box. If an item is missing or not operational, shade the entire box, then make every effort to repair or replaced the item (if appropriate) prior to submitting a maintenance request form.		

E1301 Inspection Checklist – Driver Side Compartments and Hosebed

DRIVERS SIDE MIDSHIP

- ☐ Road Flares (6)
- ☐ Ems Pack (See Separate Checklist)
- ☐ Oxygen Caddy (1) – See EMS Checklist
- ☐ Trauma Pack (1) - See EMS Checklist
- ☐ Triage Pack (1) - See EMS Checklist
- ☐ Decon Kit- See tag for inventory
- ☐ Soft Stretcher (1)
- ☐ KED (1)
- ☐ Backboard (1)
- ☐ AED (1) – See EMS Checklist
- ☐ Spinal Immobilization Kit - See EMS Checklist
- ☐ Push Broom (1)
- ☐ Ac Voltage Hot Stick (1)
- ☐ Command Board (1)
- ☐ Utility Rope Bag - 150 Feet (1)
- ☐ Utility Equipment Bag
 - ☐ Locking D Red Carabineers (1)
 - ☐ 25' Of 1" Black Webbing (1)
 - ☐ 12' Of 1" Yellow Webbing (1)
 - ☐ Prussik Cord (1)
- ☐ Water/Ice Rescue Bag/Kit
 - ☐ Suit (1)
 - ☐ Throw Bag - 75 Feet (1)
 - ☐ PFDs (2)
 - ☐ Water Rescue Rope 200' With 2 Blue Carabiners Attached.

ENGINEERS COMPARTMENT

- ☐ Flashlight (1)
- ☐ Storz Spanner Set (2)
- ☐ Hydrant Wrench (1)
- ☐ 4" Storz – 2½" NST Adapter (1)
- ☐ 4" Storz – 6" NST Female (1)
- ☐ Double Male (2)
- ☐ Double Female (2)
- ☐ 2½" Male to 1½" Female (1)
- ☐ 2½"to 1½" Reducer (1)
- ☐ 1½" - 1" Reducer (1)
- ☐ Foam Eductor (1)
- ☐ Rubber Mallet (1)

- ☐ Knox FDC Wrench (1)
- ☐ Dry Chem Extinguisher - 20 Lb. (1)
- ☐ Pressurized Water Extinguisher (1)
- ☐ Low Level Strainer (2)
- ☐ Hose Clamp, Large (1)
- ☐ Wheel Chocks (2)
- ☐ Garden Hose 10' & Nozzle
- ☐ Mini Y – Garden Hose to 1½" NST
- ☐ Bullard T3 Max TIC - Operate
 - ☐ Spare Battery (1) – Switch w/TIC

DRIVERS SIDE MIDDLE COMP.

- ☐ Scott Air-Pak 50 SCBA (4)
 - ☐ Check Pak-Alert SE Alarm
 - ☐ Check Air Pressure 4000 Psi Min.
 - ☐ Check Low Air Alarm
 - ☐ Check Straps/Adjust As Needed
 - ☐ Check Regulator Flow
 - ☐ Check Purge Valve
 - ☐ Check Donning Button & H.U.D.
- ☐ Halligan (1)
- ☐ Flathead Axe (1)
- ☐ Flashlight (1)

DRIVERS SIDE REAR

- ☐ Closet Hook (1)
- ☐ Pick Head Axe (1)
- ☐ Pinch Bar 48" (1)
- ☐ PPV Fan (1)
 - ☐ Check Fuel Level – Regular Gas
 - ☐ Check Oil Level - 15w40
 - ☐ Operate Fan
- ☐ 500-Watt Flood Light (2)

TOP OPEN COMP

- ☐ Push Broom (1)
- ☐ Scoop Shovel (2)
- ☐ Pointed Shovel (1)
- ☐ Rakes (2)
- ☐ AFFF Foam - 5 Gallon (2)
- ☐ Deck Gun w/Portable Mount
 - ☐ Stacked Tips 1-3/4", 1-1/2", 1-3/8"

HOSE BED

- ☐ 2½" Hose - 500' Flat Load
- ☐ 4 Inch Hose - 1000' Flat Load
- ☐ Hydrant Bag
 - ☐ 2½" NST to 4"Storz Adapter (1)
 - ☐ Hydrant Gate Valve (1)
 - ☐ Hydrant Wrench (1)
 - ☐ Storz Spanner Wrenches (2)
 - ☐ NST Spanner Wrenches (2)
- ☐ 2½" Hose w/Blitz Gun – 200' Flat Load
- ☐ Hose Pack
 - ☐ TFT Nozzle
 - ☐ Gated Wye
 - ☐ 1¾" Hose (Red) – 100' Flat Load
 - ☐ NST Spanner Wrench (1)

COMMENTS:

BOONE COUNTY FIRE DISTRICT WEEKLY INSPECTION CHECKLIST	2000 PIERCE/FREIGHTLINER 2-DOOR ENGINE	E901
Date:	Mileage:	Engine Hours:
Inspectors Name:		ID #:
Inspect each of the area and items indicated. Verify proper operation, level or item presence and place a check mark in the appropriate box. If an item is missing or not operational, shade the entire box, then make every effort to repair or replaced the item (if appropriate) prior to submitting a maintenance request form.		

E1301 Inspection Checklist – Passenger Side and Rear Compartments

REAR COMPARTMENT

- ☐ **Electric Cord Reel**
W/Plug Box
- ☐ **Electrical Adaptors (2)**
- ☐ **Rescue Saw**
 - ☐ Operate
 - ☐ Check Fuel Level
(40:1 Fuel Mix)
 - ☐ Check Chain Oil Level
(Chain Oil)
 - ☐ Check Air Filter
- ☐ **Chainsaw Fuel /Oil Containers**
 - Fuel
 - Oil
- ☐ **Generator - Operate**
 - Check Fuel Level
(Regular Unleaded Gas)
 - Check Oil Level
- ☐ **3 Gallon Gas Can**
(Regular Unleaded Gas)

REAR DRIVERS SIDE COMP.

- ☐ **6" Hard Suction (1)**
- ☐ **6' New York Hook (1)**

REAR PASSENGER SIDE COMP.

- ☐ **10' Pike Pole (1)**
- ☐ **6" Hard Suction (1)**

PASSENGER SIDE REAR COMP.

- ☐ **Hurst Rescue Tool**
 - Check Fuel Level
 - Check Oil Level
 - Operate Unit
(Check For Leaks)
- ☐ **Cribbing Boxes (2)**
- ☐ **Step Cribbing (2)**
- ☐ **Extrication Bag/Kit**
 - ☐ Glass Master (1)
 - ☐ Wire Cutters (1)
 - ☐ Fire Blanket (1)
 - ☐ 4" Hose Sleeves (4)
 - ☐ Vise Grips (1)
 - ☐ Duct Tape
 - ☐ Screwdriver Flat & Phillips
 - ☐ Cable Cutters (1)

PASSENGER SIDE LONG REAR COMP.

- ☐ **Sawzall, Electric**
 - ☐ Check Cord For Worn Or
Broken Insulation
 - ☐ Minimum Of 4 Wood
Blades
 - ☐ Minimum Of 4 Wood
Blades
- ☐ **Vehicle Locksmith Pack**
- ☐ **Toolbox (See Separate Checklist)**
- ☐ **Bolt Cutters**
- ☐ **Flue Fire Kit./Dry Chemical (4)**
- ☐ **Engine Oil (2)**
- ☐ **Scene Tape (1)**
- ☐ **Lockout/Tag Out Kit – See Separate
Checklist**
- ☐ **Disposable Blankets (2)**
2-1/2" Smooth Bore Nozzle (2)

PASSENGER SIDE FRONT COMP.

- ☐ **Plastic Tarps (2)**
- ☐ **Canvas Tarp (1)**
- ☐ **Pump Pack W/Nozzle-Hose (1)**
- ☐ **Spare Bottles (4) - Min. 5000 Psi**
- ☐ **Sprinkler Wedges (4)**

PASSENGER SIDE FRONT COMP.

- ☐ **Hazmat Kit**
- ☐ Andax Kit 50
- ☐ 12" X 12" Absorbent Pads (12)
- ☐ Putty Tube
- ☐ **Traffic Cones (5)**
- ☐ **Oil Away - 5 Gallon Container (1)**

Wide Area Search Pack

Top Compartment

- ☐ 1 Quart Ziploc Bag
- ☐ Sunscreen/Bug Wipes (6)
- ☐ 1 Gallon Ziploc Bag
- ☐ Search Stickers (50)
- ☐ Black Permanent Marker (2)
- ☐ 1 Quart Ziploc Bag
- ☐ ICS 214 Notebook
- ☐ Pens (2)

Main Compartment

- ☐ 1 Quart Ziploc Bag
- ☐ GPS Unit (1) Serial No.:

- ☐ Spare AA Batteries (8)
- ☐ GPS Reference Guide
- ☐ Clipboard
- ☐ Lost Person Questionnaire (10)
- ☐ Pen (2)
- ☐ Compass
- ☐ 1 Gallon Ziploc Bag
- ☐ Flagging Tape
- ☐ Rain Poncho (6)
- ☐ Emergency Blanket (6)
- ☐ Red Cyalume Light Stick (3)
- ☐ Yellow Cyalume Light Stick (3)
- ☐ 25' Paracord
- ☐ Trash Bag (2)
- ☐ 1 Gallon Ziploc Bag
- ☐ Spare Ziploc Bags – Gallon (2)
- ☐ Spare Ziploc Bags – Quart (2)
- ☐ Brief Relief Kit (2)

PRIMER OIL RESERVOIR ACCESS

- ☐ **Primer Oil - check level (15W40)**

COMMENTS: