BOONE COUNTY FIRE DISTRICT WEEKLY INSPECTION CHECKLIST			PIERCE 4-DOOR FREIGHTLINER		E1601	
П	date:		Mileage:		Engine Hours:	
ו	ac.	Mile	age.	Engine riours:		
Coordinating Inspector Name:				ID #:		
N	ames of Assisting Inspectors:					
If	nspect each of the area and items indicated. Veri an item is missing or not operational, shade the abmitting a maintenance request form.					
EN	IGINE COMPARTMENT		Spinal Immobilization Kit		Low Level Strainer (2)	
	Engine Oil (15W40) - check level		(see EMS checklist)		Hose Clamp, Large (1)	
	Radiator - check water level		Decon Kit- See tag for		Wheel Chocks (2)	
	Belts - check for excessive wear		inventory		Garden Hose 10' & Nozzle	
	Power Steering Fluid (Dexron II) -		Push Broom (1)		Mini Y, GHT to 1.5" NST	
	check fluid level		Pinch Bar 48" (1)		Bullard T3 Max TIC	
	Hoses - check for damage, leaks or		AC Voltage Hot Stick (1)		(Operate)	
	Aging		Command Board (1)		- Spare battery (1) (Switch	
EV	TEDIOD		Utility Rope Bag - 150 Feet		with TIC)	
	TERIOR Rottorias chaely posts for eversive		(1)	DI	DIVERC CIDE MIDDLE COMP	
	Batteries -check posts for excessive corrosion		Utility Equipment Bag		RIVERS SIDE MIDDLE COMP.	
	1-200'-1 3/4" Attack Line (1) -Set on		- Locking D Red carabineers		SCOTT Air-Pak 50 SCBA (4 - check Pak-Alert SE Alarm	
	straightstream/120 gpm		(1)		Function	
	2-200'-1 3/4" Attack Line (1) -Set on		- 25' of 1" Black		- check air pressure 4000 psi	
ш	straightstream/120 gpm		Webbing (1) - 12' of 1" Yellow		Minimum	
	3-200'-1 3/4" Attack Line (1) -Set on		Webbing (1)		 check low air alarm 	
ш	straightstream/120 gpm		- Prussik Cord (1)		- check straps and adjust as	
	3" Tanker Nurse Line 50 ft Drivers		Water/Ice Rescue Bag/Kit		needed	
ш	Side check hose gasket		- Suit (1)		check regulator flowcheck purge valve	
	Spanner wrench set - rear tailboard		- Throw Bag - 75 Feet (1)		- check donning button &	
	TFT Blitz Monitor and Nozzle (1)		PFDs (2)Water Rescue rope 200' with		HUD	
	24' Ext. Ladder - properly secured		2 Blue carabineers attached.		Flashlight (1)	
	14' Roof Ladder - properly secured		2 Dide carabineers attached.		Flathead Axe (1)	
	10 Foot Attic Ladder	EN	IGINEERS COMPARTMENT		Halligan (1)	
	4" Supply line w/6" to 4" Storz and		Flashlight (1)			
	4.5" NST to 4" Storz - Passenger Side		Storz Spanner Set (2)	DI	RIVERS SIDE REAR	
	Storz Adaptor (Passenger Side		Hydrant Wrench (1)		Closet Hook (1)	
	Discharge)		4" Storz -2 1/2" NST		Pickhead Axe (1)	
	Primer Oil - check fluid level		Adapter(1)		PPV Fan	
	Tires - check for proper inflation (85		4" Storz - 6" NST Female (1)		\square check fuel level (reg	
	psi/front - 100 psi/rear)		Double Male (2)		unleaded gas)	
	AFFF Foam 5 gallon Bucket (4)		Double Female (2)		□ check oil level (15W40)	
			2 1/2' Male - 1 1/2" Female		operate fan	
DF	RIVERS SIDE MIDSHIP		(1)		500 Watt Flood Light	
	Road Flares (6)		2 1/2"- 1 1/2" Reducer (1)			
	EMS Pack (see separate checklist)		, ,			
	Oxygen Caddy (1) - see EMS checklist		1 1/2" - 1" Reducer (1)			
	Soft Stretcher (1)		Foam Eductor			
	Trauma Pack (1)) - see EMS checklist		Rubber Mallet (1)			
	Triage Pack (1)) -		Knox FDC Wrench (1)			
	see EMS checklist		Dry Chemical Extinguisher -			
	KED (1)		20 lb. (1)			
	Backboard (1)		Pressurized Water			

Extinguisher(1)

□ **AED (1)** – see EMS checklist

Revised: June 25, 2020

REAR DRIVERS SIDE COMPARTMENT	☐ Step Cribbing (2)	PASSENGER SIDE FRONT COMP.
□ 6" Hard Suction (1)	☐ Extrication Bag/Kit	☐ HazMat Kit
□ 6' New York Hook (1)	- glass master (1)	□ Andax Kit 50
	 wire cutters (1) 	☐ 12" x 12" Absorbent Pads
REAR PASSENGER SIDE COMP.	 fire blanket (1) 	(12)
□ 10 Foot Long Pike Pole (1)	- 4" hose sleeves (4)	□ Putty Tube
□ 6" Hard Suction (1)	 vise grips (1) 	□ Oil away - 5 gallon
o Hard Suction (1)	 duct tape 	container (1)
HOSE BED	 screw driver flat & 	☐ Traffic Cones (5)
	phillips	
□ 200 Feet - 2-1/2 Inch	- cable cutters (1)	
1000 Feet - 4 Inch Hose		Top Compartment
w/Siamese Attached	PASSENGER SIDE LONG REAR	☐ AA Batteries(12)
(flat load)	COMP.	□ Sunscreen/Bug Spray
☐ Hydrant Bag	☐ Sawzall, Electric	Wipes (6)
- 2.5"to 4"Storz	 check cord for worn or 	☐ Search Stickers (50)
(attached to gate valve)	broken insulation	☐ Sharpies(2)
 hydrant gate valve 	- minimum of 4 wood	\square Notebook
- hydrant & spanner	blades	□ Pens(2)
wrench (2)	- minimum of 4 wood	Main Compartment
□ 500 Feet - 2.5" Hose w/Hose Pack	blades	☐ GPS Unit (1) Serial No:-
(accordion load)	☐ Vehicle Locksmith Pack	
☐ Hose Pack	☐ Toolbox (see separate	☐ GPS Reference Guide
- TFT 1.5" nozzle	checklist)	□ Clipboard
- gated wye	□ Bolt Cutters	□ Lost Person
- 100 1 3/4" Hose (Red)		Questionnaire (10)
- spanner, 2.5" (1)	☐ Flue Fire Kit./Dry Chemical	□ Pens(2)
	(4)	□ Black Permanent
REAR COMPARTMENT	□ Engine Oil (2)	Markers(2)
☐ Electric Cord Reel	□ Scene Tape (1)	
w/plug box	□ Lockout/Tag Out Kit – see	□ Compass
☐ Electrical Adaptors (2)	separate checklist	☐ Flagging Tape
□ Rescue Saw	□ Disposable Blankets (2)	□ Rain Poncho (6)
- operate	☐ 2-1/2" Smooth Bore Nozzle	☐ Emergency Blanket (6)
- check fuel level	(2)	☐ Red Cyalume Light Sticks
(40:1 fuel mix)		(3)
- check chain oil level	PASSENGER SIDE FRONT COMP.	Yellow Cyalume Light
(chain oil)		Sticks (3)
- check air filter	☐ Plastic Tarps (2)	25' Paracord
- spare spark plug	☐ Canvas Tarp (1)	☐ Brief Relief Kit (2)
☐ Chainsaw Fuel /Oil Containers	☐ Pump Pack w/nozzle-hose	☐ Trash Bags (2)
- fuel (40:1) Mix	(1)	☐ Ziploc Bags- Gallon (2)
- bar chain oil	□ Spare Bottles (4) - min.	☐ Ziploc Bags- Quart (2)
☐ Generator – operate	4000 psi	F
- check fuel level	☐ Sprinkler Wedges (4)	
(regular unleaded gas)	by miner weages (1)	
- check oil level	PRIMER OIL RESERVOIR	
□ 3 Gallon Gas Can	ACCESS	
(regular unleaded gas)	□ Primer Oil - check level (15W40)	
PASSENGER SIDE REAR COMP.		
☐ Hurst Rescue Tool		
 check fuel level 		
 check oil level 		
 operate unit 		
(check for leaks)		
☐ Cribbing Boxes (2)		

TOP OPEN COMP			Dash Instruments	TRANSMISSION FLUID	
	Push Broom (1)			Fuel Level - diesel fuel at	☐ Transmission Fluid
	Scoop S	hovel (2)		least 3/4 full	 Check while engine is
	Pointed	Shovel (1)		Windshield Wipers	running at operating
	Rakes (2)		Windshield Washers	temperature if low turn
	Foam/A	AFFF- 5 Gallon Container (2)		Heater/Defroster	in maintenance
	Oil Awa	y - 5 Gallon container (1)		Air Horn	
	Deck Gu	ın & Portable Mount		Electric Horn	COLUMNITA
	□ s tac	ked tips,1-3/4, 1-1/2, 1-3/8		Auto Chains (Engage)	COMMENTS:
				□ Disc Contacts Tire	
C	REW CAB			☐ Chains Retract	
	Seat Be	lts - operational		Completely	
	Radio -	conduct in-house test Orange			
	and Gold	d	Si	ΓART ENGINE	
	Portable Radio (2) - conduct in-house		LIGHTS/WARNING EQUIPMENT		
	test on	Orange and Gold		Headlights - check high and	
	Report	Book - 10 each		low beams	
	Map Bo	ok		Tail Lights	
	Hazard	ous Materials Guidebook		Backup Lights	
	FEMA A	fter the Fire Document with		Backup Alarm	
	BCFPD 1	Insert		Turn Signals	
	SCOTT	Air-Pak 50 SCBA (4)		Emergency Flashers	
		□ check Pak-Alert SE		Clearance Lights	
		Alarm function		Emergency Lights	
		□ check air pressure 4000	Ш	- light bar	
		psi min.		- bumper flashers	
		□ check low air alarm		- rear rotating beacons	
		 check straps and adjust 	П	Siren	
		as needed		- mechanical	
		☐ check regulator flow		- electronic	
		□ check purge valve		Spot Light	
		□ check donning button &		Spot Eight	
		H.U.D.	PU	ILL ONTO DRIVEWAY	
		Radiation Kit		GAGE PUMP/CHOCK WHEELS	
		Multi-Rae Monitor			
		□ Battery Backup Pack	ΡI	IMP PANEL	
		□ AA Batteries (4)			
		□ Water Trap (3)	П	Pump Panel Gauges - check	
		☐ Teflon Hose (15'Feet)		Operate Primer	
		□ Screw Driver		- cycle primer 3 times	
		☐ CO Evaluation Reports		Operate Pump - check	
		(3)		operation	
		□ Power Up	П	Operate Relief Valve	
		☐ Fresh Air calibration		- cycle valve on and off	
		□ Verify full level charge		10 times	
		Haz Mat DOT guidebook (1)		Valves and Drains - Operate	
		Visor organizer		all valves 10 times	
	_	gas card		Water Tank Level Full	
		☐ insurance card		Foam Tank Level Full (Class	
		Knox Box Secure Key		A)	
		Incident Command Vest		,	
		Seat Belts - operational			
		Interior Cab Light			
		Dash Instrument Lights			
		·			